

LA·CO®

QUALITY PLUMBING AND PVF CHEMICALS



EZ BREAK® COPPER GRADE

Equipment vulnerable to galling and rust needs protection. The best way to protect your equipment from seizing and corrosion is to use EZ Break Anti-Seize. Simply apply EZ Break to nuts, bolts, and other metal parts, and your equipment will be rust free and easy to maintain.

FEATURES / BENEFITS

Three different forms for easy use and application: paste, aerosol, and stick

Working temperature: to 1800° F (982° C)

Lubricates and protects nuts and bolts, making disassembly easy, even after years of service

Resists galling, rust and corrosion so your metal parts won't "freeze up"

Copper material is easy to use in most general applications

Made in U.S.A

FOR USE ON / WITH

Nuts

Bolts

Valves

Flanges

Splines

APPROVALS / CERTIFICATIONS

Meets Mil-PRF-907F

Authorized by USDA for use in federally inspected meat and poultry plants

DETAILS:

08924 4 oz. - Brush in cap - Paste - 24 per case
08910 10 oz. - Brush in cap - Paste - 24 per case
08916 14 oz. - Aerosol - 12 per case

08907 16 oz. - Brush in cap - Paste - 24 per case
08925 8 lbs. - Paste 4 per case
08950 42 lbs. - Paste - 1 per case

08969 425 lbs. - Paste - 1 per case
08930 2-1/4 oz. - Stick - 24 per case



[EZ Break Copper Grade Product Bulletin North America English](#)



[EZ Break Stik Copper Grade Product Bulletin North America English](#)



[MRO Chemicals Brochure](#)



[EZ Break Stik Copper Grade MSDS North America English](#)



[EZ Break Copper Grade Aerosol MSDS North America English](#)



[EZ Break Copper Grade MSDS North America English](#)