

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : GRAFLOSCON C-SG 1000 ULTRA

Article-No. : 039077

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Grease

Recommended restrictions  
on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person  
responsible for the SDS : mcm@klueber.com  
Material Compliance Management

National contact : Klüber Lubrication Deutschland  
Geisenhausenerstraße 7  
81379 München  
Deutschland  
Tel.: +49 89 7876 0  
Fax: +49 89 7876 565  
customer.service.de@klueber.com  
www.klueber.com

#### 1.4 Emergency telephone number

Emergency telephone num-  
ber : +49 89 7876 700 (24 hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

**Not a hazardous substance or mixture.**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE

**KLÜBER**  
LUBRICATION

## GRAFLOSCON C-SG 1000 ULTRA

Version 4.0      Revision Date: 17.08.2020      Date of last issue: 04.12.2019  
Date of first issue: 29.10.2015

Print Date:  
17.08.2020

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### Additional Labelling

**EUH210** Safety data sheet available on request.  
**EUH208** Contains dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
aluminium soap  
graphite

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate	68413-48-9 270-220-1  01-2120786863-37-XXXX	Skin Sens.1B; H317 Aquatic Chronic4; H413		>= 0,25 - < 1
Substances with a workplace exposure limit :				
residual oils (petroleum), hydrotreated	64742-57-0 265-160-8  649-470-00-4 01-2119489287-22-XXXX	Not classified	Note L	>= 50 - < 70
Graphite	7782-42-5 231-955-3	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                         |   |   |
|-------------------------|---|---|
| If inhaled              | : | Obtain medical attention.<br>Remove person to fresh air. If signs/symptoms continue, get medical attention.<br>Keep patient warm and at rest.<br>If breathing is irregular or stopped, administer artificial respiration. |
| In case of skin contact | : | Remove contaminated clothing. If irritation develops, get medical attention.<br>Wash off with soap and water.   |
| In case of eye contact  | : | Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.<br>If eye irritation persists, consult a specialist.   |
| If swallowed            | : | Move the victim to fresh air.<br>Do not induce vomiting without medical advice.   |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |          |   |                           |
|----------|---|---------------------------|
| Symptoms | : | No information available. |
| Risks    | : | None known.               |

#### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                           |
|-----------|---|---------------------------|
| Treatment | : | No information available. |
|-----------|---|---------------------------|

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- |                                |   |  |
|--------------------------------|---|--|
| Suitable extinguishing media   | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : | High volume water jet<br><br>High volume water jet                       |

#### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |   |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Fire may cause evolution of:<br>Carbon oxides<br>Metal oxides<br>Oxides of phosphorus<br>Sulphur oxides |
|---------------------------------------|---|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE

**KLÜBER**  
LUBRICATION

## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
residual oils (petroleum), hydrotreated	64742-57-0	AGW (Vapour and aerosols)	5 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
Peak-limit: excursion factor (category)	4;(II)			
Further information	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
Graphite	7782-42-5	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	DE TRGS 900 (2014-04-02)
Peak-limit: excursion factor (category)	2;(II)			
		AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	DE TRGS 900 (2014-04-02)
Peak-limit: excursion factor (category)	2;(II)			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
residual oils (petroleum), hydrotreated	Workers	Inhalation	Long-term systemic effects	2,7 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	5,6 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE

**KLÜBER**  
LUBRICATION

## GRAFLOSCON C-SG 1000 ULTRA

Version 4.0      Revision Date: 17.08.2020      Date of last issue: 04.12.2019  
Date of first issue: 29.10.2015

Print Date:  
17.08.2020

Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl) phenyl phosphate	Workers	Inhalation	Long-term systemic effects	2,03 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	0,2 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0,056 mg/kg bw/day
	Workers	Dermal	Long-term local effects	0,001 mg/cm <sup>2</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl) phenyl phosphate	Fresh water	0,000116 mg/l
	Marine water	0,000012 mg/l
	Microbiological Activity in Sewage Treatment Systems	1 mg/l
	Fresh water sediment	0,51 mg/kg
	Marine sediment	0,051 mg/kg
	Soil	0,118 mg/kg

## 8.2 Exposure controls

### Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version 4.0	Revision Date: 17.08.2020	Date of last issue: 04.12.2019 Date of first issue: 29.10.2015	Print Date: 17.08.2020
----------------	------------------------------	---	---------------------------

at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	: paste
Colour	: black
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: > 300 °C
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Combustible Solids
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: < 0,001 hPa (20 °C)
Relative vapour density	: No data available
Relative density	: 0,98 (20 °C) Reference substance: Water The value is calculated
Density	: 0,98 g/cm <sup>3</sup> (20 °C)
Bulk density	: No data available
Solubility(ies)	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available

### 9.2 Other information

Sublimation point	:	No data available
Self-ignition	:	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	---

### 10.4 Conditions to avoid

Conditions to avoid	:	No conditions to be specially mentioned.
---------------------	---	--

### 10.5 Incompatible materials

Materials to avoid	:	No materials to be especially mentioned.
--------------------	---	--

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

###### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

###### Components:

###### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Acute oral toxicity : LD50 (Rat): 11.300 mg/kg  
Method: OECD Test Guideline 401

###### **residual oils (petroleum), hydrotreated:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

###### **Graphite:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.000 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

##### Skin corrosion/irritation

###### Product:

Remarks : This information is not available.

###### Components:

###### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Species : Rabbit  
Assessment : No skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

Result : No skin irritation

### residual oils (petroleum), hydrotreated:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

### Graphite:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

### dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Species	: Rabbit
Assessment	: No eye irritation
Result	: No eye irritation

### residual oils (petroleum), hydrotreated:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation

### Graphite:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

### dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Assessment : The product is a skin sensitiser, sub-category 1B.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

Result : The product is a skin sensitiser, sub-category 1B.

### residual oils (petroleum), hydrotreated:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.  
Result : Does not cause respiratory sensitisation.

### Graphite:

Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

### Graphite:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

### residual oils (petroleum), hydrotreated:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### **Graphite:**

Effects on fertility : Species: Rat  
Application Route: Oral  
General Toxicity F1: NOAEL: 813 mg/kg body weight  
Method: OECD Test Guideline 422

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### **Graphite:**

Species : Rat  
NOAEL : 813 mg/kg  
Application Route : Oral  
Method : OECD Test Guideline 422

Species : Rat  
NOAEL : > 2 mg/l  
Application Route : inhalation (dust/mist/fume)  
Method : OECD Test Guideline 412

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### **residual oils (petroleum), hydrotreated:**

No aspiration toxicity classification

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

##### Components:

##### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,002 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

##### **residual oils (petroleum), hydrotreated:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization

##### **Graphite:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE

**KLÜBER**  
LUBRICATION

## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 12,1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **residual oils (petroleum), hydrotreated:**

Biodegradability : Result: Not rapidly biodegradable

##### **Graphite:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:**

Partition coefficient: n- : log Pow: > 6,5

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version 4.0	Revision Date: 17.08.2020	Date of last issue: 04.12.2019 Date of first issue: 29.10.2015	Print Date: 17.08.2020
----------------	------------------------------	---	---------------------------

octanol/water

Method: OECD Test Guideline 117  
GLP: yes

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### SECTION 14: Transport information

#### 14.1 UN number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

#### 14.4 Packing group

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks	:	Not applicable for product as supplied.
---------	---	---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	This product does not contain substances of very high concern (Regu-
---	---	--



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Water contaminating class (Germany) : **WGK 1 slightly hazardous to water**  
**Classification according to AwSV, Annex 1 (5.2)**

TA Luft List (Germany) : Total dust:  
others: 27,28 %

Inorganic substances in powdered form:  
Not applicable  
Inorganic substances in vapour or gaseous form:  
Not applicable  
Organic Substances:  
portion Class 1: < 0,01 %  
others: 72,72 %

Carcinogenic substances:  
Not applicable  
Mutagenic:  
Not applicable  
Toxic to reproduction:  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 3,68 %

### 15.2 Chemical safety assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

### SECTION 16: Other information

#### Full text of H-Statements

H317 : May cause an allergic skin reaction.  
H413 : May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Sub-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## GRAFLOSCON C-SG 1000 ULTRA

Version	Revision Date:	Date of last issue: 04.12.2019	Print Date:
4.0	17.08.2020	Date of first issue: 29.10.2015	17.08.2020

stances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.