according to Regulation (EC) No. 1907/2006 - DE



# **ISOFLEX PDP 10**

Version Date of last issue: 09.09.2019 Revision Date: Print Date: Date of first issue: 20.08.2015 02.03.2021 1.4 02.03.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

: ISOFLEX PDP 10 Product name

Article-No. : 025006

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Lubricating oil

stance/Mixture

Recommended restrictions For professional users only.

on use

1.3 Details of the supplier of the safety data sheet

Company Klüber Lubrication München

> Geisenhausenerstr. 7 81379 München Deutschland

Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333

info@klueber.com

E-mail address of person mcm@klueber.com

responsible for the SDS Material Compliance Management

National contact Klüber Lubrication Deutschland

Geisenhausenerstraße 7

81379 München Deutschland

Tel.: +49 89 7876 0 Fax: +49 89 7876 565

customer.service.de@klueber.com

www.klueber.com

1.4 Emergency telephone number

Emergency telephone num- : +49 89 7876 700 (24 hrs)

ber

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-H412: Harmful to aquatic life with long lasting ef-

according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

Version Revision Date: Date of last issue: 09.09.2019 Print Date: 1.4 02.03.2021 Date of first issue: 20.08.2015 02.03.2021

egory 3 fects.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting ef-

fects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : ester oil

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
2,6-di-tert-butyl-p- cresol	128-37-0 204-881-4 01-2119555270-46- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-



according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

Version Date of last issue: 09.09.2019 **Revision Date:** Print Date: 02.03.2021 Date of first issue: 20.08.2015 02.03.2021 1.4

tion.

In case of skin contact Remove contaminated clothing. If irritation develops, get med-

ical attention.

In case of contact, immediately flush skin with plenty of water.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No information available. **Symptoms** 

Risks None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment No information available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : Carbon oxides

ucts

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information Standard procedure for chemical fires.

according to Regulation (EC) No. 1907/2006 - DE



## **ISOFLEX PDP 10**

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment.

Ensure adequate ventilation.

Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

## 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid inhalation of vapour or mist.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product. Do not ingest. Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.



according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 10, Combustible liquids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,6-di-tert-butyl-p- cresol	128-37-0	AGW (Vapour and aerosols, inhalable frac- tion)	10 mg/m3	DE TRGS 900 (2012-09-13)
Peak-limit: excursion factor (category)	4;(II)			
Further information	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
bis(2-ethylhexyl) adipate	Workers	Inhalation	Long-term systemic effects	17,8 mg/m3
	Workers	Dermal	Long-term systemic effects	25,5 mg/kg bw/day
2,6-di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(2-ethylhexyl) adipate	Soil	0,865 mg/kg
2,6-di-tert-butyl-p-cresol	Fresh water	0,199 μg/l
	Marine water	0,02 μg/l
	Intermittent use/release	1,99 µg/l
	Microbiological Activity in Sewage Treat-	0,17 mg/l
	ment Systems	



according to Regulation (EC) No. 1907/2006 - DE



# **ISOFLEX PDP 10**

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

Fresh water sediment	0,0996 mg/kg
Marine sediment	0,00996 mg/kg
Soil	0,04769 mg/kg
Oral	8,33 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

none

### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available



according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

 Version
 Revision Date:
 Date of last issue: 09.09.2019
 Print Date:

 1.4
 02.03.2021
 Date of first issue: 20.08.2015
 02.03.2021

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : 200 °C

Method: ISO 2592, open cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0,926 (20 °C)

Reference substance: Water The value is calculated

Density : 0,93 g/cm3

(20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 8 mm2/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

Version Revision Date: Date of last issue: 09.09.2019 Print Date: 1.4 02.03.2021 Date of first issue: 20.08.2015 02.03.2021

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

# 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

**Components:** 

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402



according to Regulation (EC) No. 1907/2006 - DE



# **ISOFLEX PDP 10**

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

### Skin corrosion/irritation

Product:

Remarks : This information is not available.

**Components:** 

2,6-di-tert-butyl-p-cresol:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

2,6-di-tert-butyl-p-cresol:

Species : Rabbit

Assessment : No eye irritation
Method : Draize Test
Result : No eye irritation

Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

**Components:** 

2,6-di-tert-butyl-p-cresol:

Species : Humans

Assessment : Does not cause skin sensitisation. Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

2,6-di-tert-butyl-p-cresol:

according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

Version Revision Date: Date of last issue: 09.09.2019 Print Date: 1.4 02.03.2021 Date of first issue: 20.08.2015 02.03.2021

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

**Components:** 

2,6-di-tert-butyl-p-cresol:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

STOT - single exposure

**Components:** 

2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

**Components:** 

2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.



according to Regulation (EC) No. 1907/2006 - DE



# **ISOFLEX PDP 10**

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

## **Aspiration toxicity**

#### **Product:**

This information is not available.

#### **Components:**

#### 2,6-di-tert-butyl-p-cresol:

No aspiration toxicity classification

#### **Further information**

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

## **Components:**

2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,57 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,61 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l

Exposure time: 72 h

Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic tox- : 1



according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

Version Date of last issue: 09.09.2019 Print Date: **Revision Date:** 02.03.2021 Date of first issue: 20.08.2015 02.03.2021 1.4

icity)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,316 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

## 12.2 Persistence and degradability

**Product:** 

Remarks: No data available Biodegradability

ity

Physico-chemical removabil- : Remarks: No data available

## Components:

2,6-di-tert-butyl-p-cresol:

Biodegradability Test Type: aerobic

> Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 4,5 % Exposure time: 28 d

Method: OECD Test Guideline 301C

## 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

2,6-di-tert-butyl-p-cresol:

Bioaccumulation Bioconcentration factor (BCF): 598,4

Partition coefficient: n-

octanol/water

log Pow: 5,1

## 12.4 Mobility in soil

**Product:** 

Mobility Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available



according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

Components:

2,6-di-tert-butyl-p-cresol:

Assessment : Non-classified PBT substance. Non-classified vPvB sub-

stance.

12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

: Harmful to aquatic life with long lasting effects.

### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : unused product

13 02 06\*, synthetic engine, gear and lubricating oils

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances



according to Regulation (EC) No. 1907/2006 - DE



## **ISOFLEX PDP 10**

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

## **SECTION 14: Transport information**

#### 14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

 Version
 Revision Date:
 Date of last issue: 09.09.2019
 Print Date: 02.03.2021

 1.4
 02.03.2021
 Date of first issue: 20.08.2015
 02.03.2021

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

ture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern (Regu-

lation (EC) No 1907/2006 (REACH),

Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water contaminating class

(Germany)

WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:

others: 1 %

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable
Organic Substances:
portion Class 1: < 0,01 %

others: 99 %

Carcinogenic substances:

Not applicable



according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

Mutagenic: Not applicable Toxic to reproduction:

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International

according to Regulation (EC) No. 1907/2006 - DE



**ISOFLEX PDP 10** 

VersionRevision Date:Date of last issue: 09.09.2019Print Date:1.402.03.2021Date of first issue: 20.08.201502.03.2021

Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Classification of the mixture: Classification procedure:

Aquatic Chronic 3 H412 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.